


Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





THE PLANT DISEASE REPORTER

Issued By

PLANT DISEASE EPIDEMICS
and
IDENTIFICATION SECTION
AGRICULTURAL RESEARCH SERVICE
UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 242

INDEX TO SUPPLEMENTS 237-241, 1956

Supplement 242

Issued June 15, 1957



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Plant Disease Epidemics and Identification Section serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

PLANT DISEASE REPORTER SUPPLEMENT

Issued by

PLANT DISEASE EPIDEMICS AND IDENTIFICATION SECTION

INDEX TO PLANT DISEASE REPORTER
SUPPLEMENTS 237-241, 1956

Compiled by Nellie W. Nance

Crops Research Division
Supplement 242

Plant Industry Station, Beltsville, Maryland
Index to Supplements, 1956

LIST OF SUPPLEMENTS

- Supplement 237. Host index and morphological characterization of the grass rusts of the world. pp. 1-52. May 15, 1956. By George B. Cummins.
- Supplement 238. Development and production of pathogen-free propagative material of ornamental plants. pp. 57-95. June 15, 1956. By Ornamental Crops Subcommittee of the Committee on Seed and Plant Material Certification, The American Phytopathological Society. See table of contents and the author index below.
- Supplement 239. Physiologic races of Puccinia graminis in the United States in 1955. pp. 99-105. July 15, 1956. See author index below.
- Supplement 240. A check list of North American rust fungi (Uredinales). pp. 109-193. December 15, 1956. By George B. Cummins and John A. Stevenson.
- Supplement 241. Some new and important plant disease occurrences and developments in the United States in 1955. pp. 196-229. December 15, 1956. Compiled by Nellie W. Nance.
- Supplement 242. Index to Supplements 237-241 (pp. 233-242). Issued June 15, 1957. By Nellie W. Nance.

AUTHOR INDEX

- | | |
|---------------------------------|-------------------------------|
| BAKER, KENNETH F., (56), 68, 88 | MUNNECKE, DONALD E., (56), 93 |
| BAKER, R. R., (72) | |
| BALD, J. G., (56), 81 | NANCE, NELLIE W., 196 |
| BRIERLEY, PHILIP, (56), 63 | |
| CHANDLER, PHILIP A., (88) | OLSON, C. J. (56), (63), (77) |
| COTTER, R. U., (99) | |
| CUMMINS, GEORGE B., 1, 109 | RAABE, ROBERT D., (85) |
| | ROBERTS, B. J., (99) |
| DIMOCK, A. W., (56), 59 | |
| | STEVENSON, JOHN A., (109) |
| GASIORKIEWICZ, E. C., 77 | |
| | STEWART, D. M., 99 |
| HAYDEN, E. B., (99) | |
| HOLLEY, W. D., (72) | TAMMEN, JAMES (56), 72 |
| | |
| LYLE, ELDON W., (56), 91 | WILHELM, STEPHEN, (56), 85 |

SUBJECT INDEX

- Aceria ficus*, 215
 --- tulipae, 212
Acti-dione, 211, 213
Acti-dione plus sulfur, 217
Aecidium aesculi, 213
Aesculus glabra: buckeye rust, 213
Agaricus campestris: bacterial blotch, 221; bacterial soft rot, 221; mildew, 221
Agrilus bilineatus, 220
Agrimycin, 224
Agrimycin 100, 218
Agrobacterium rubi, 218
Agropyron inerme: dwarf bunt, 1st rept. on this host (Oregon), 205
 --- trachycaulum: dwarf bunt, 213, 1st rept. on this host (Idaho), 205
 --- trichophorum: dwarf bunt, 1st rept. on this host (Oregon), 205
 Alabama, 207, 213, 215, 227
Albizzia julibrissin: *Trichodorus primitivus*, 1st rept. on this host (Maryland), 208
 Alfalfa: anthracnose, 214
 Almond: powdery mildew, 1st rept. in U. S. (Calif.), 207
Aloë variegata: *Pythium* root rot, 90, 221
Alternaria spp., 221
 --- solani, 226, 228
 --- zinniae, 69
Andropogon gerardi: buckeye rust, 213; kernel smut, 213
 Angular leaf spot, of cucurbits, 225
 Anthracnose, of alfalfa, 214; *Bellis perennis*, 226; cucurbits, 224; *Gossypium* spp., 222; *Hibiscus cannabinus*, 222; lettuce, 226; tomato, 227
 Antibiotics, for control of barley loose smut, 210
Aphanomyces cochlioides, 221
Aphelenchoides ritzema-bosi, 59
Aphis gossypii, 218
 --- maidis, 218
 Apple: black rot and leaf spot, 216; boron deficiency, 217; canker and fruit rot, 216; dapple apple (? virus), 217; fire blight, 216; powdery mildew, 217; *Pratylenchus penetrans*, 214; scarskin, 217
Arachis hypogaea: fungi associated with blemishes, 221
 Arasan, 214
 Arasan SF, 214
Arceuthobium vaginatum f. *cryptopodum*, 208
 Arkansas, 210, 211
 Arizona, 211, 215, 217, 224, 226
Arthrotrrys dactyloides, 215
 --- oligospora, 215
Asparagus: crown and root rot, 224; rust, 224
Aspergillus flavus, 221
 --- repens, 211
 --- restrictus, 211
 --- ruber, 211
Bacillus subtilis, 222
 Bacterial blight, of bean, 228; *Bromus commutatus* and *B. tectorum*, 206; *Gossypium* spp., 222; *Juglans regia*, 218
 --- blotch, of *Agaricus campestris*, 221
 --- canker, of tomato, 227
 --- leaf spot, of sesame, 223
 --- soft rot, of *Agaricus campestris*, 221
 --- spot, of peach, 217; pepper, 224; *Prunus* spp., 217; tomato, 227, 228
 --- wilt, of corn, 212; cucurbits, 225; sweet corn, 213; tobacco, 223
Bacterium stewartii, 212, 213
 Barley: barley stripe mosaic virus, 211; barley yellow-dwarf virus, 211; covered smut, 210; downy mildew, 1st rept. from Mississippi and Virginia, 203; leaf spot (undet. origin, possibly physiological), 1st rept. from Virginia, 203; loose smut, 210; net blotch, 211; phycomycetous mycorrhizal fungus, 210; smuts, 210; stem rust, 210; stripe, 210
 Bean: bacterial blight, 228; diseases in Idaho, 228; yellow mosaic virus, 228
 ---, lima: downy mildew, 228
Bellis perennis, anthracnose, 226
Belonolaimus gracilis, 221
Beta vulgaris (sugar beet): *Aphanomyces cochlioides*, 221; damping-off (*Rhizoctonia* sp.), control by *Bacillus subtilis*, 222; *Heterodera schachtii*, 1st rept. from Oregon, 204; scurf, 222; yellows (virus), 222
Betula lutea: *Poria laevigata* and *P. obliqua*, 219
 Blackberry: cane gall, 218
 Blackleg, of potato, 228
 Black root rot, of strawberry, 216
 Black rot, of cabbage, 224
 Black rot and leaf spot, of apple, 216
 Black shank, of tobacco, 223
 Blast, of rice, 211
 Blight, of *Liquidambar styraciflua*, 219
 Blossom-end rot, of tomato, 227
 Blueberry: stunt virus transmitted by *Scaphytopius magdalensis*, 218
 Blue mold, of tobacco, 222
Botryosphaeria ribis, 216
Botrytis cinerea, 89, 215, 227
 --- gladiolorum, 81

- Branch wilt, of *Juglans regia*, 218
 Broccoli: club root, 224
Bromus commutatus: bacterial blight,
 1st rept. on this host (Nebraska),
 206
 --- inermis: mosaic (virus), 213
 --- marginatus: dwarf bunt, 1st report
 on this host (Oregon), 205
 --- tectorum: bacterial blight, 1st rept.
 on this host (Nebr.), 206
 Brown rot, of *Citrus* spp., 215
 Brown stele, of lettuce, 226
 Brussels sprouts: club root, 224
 Bunt, of wheat, 212
 Cabbage: black rot, 224; yellows, 224
 Cactaceae: *Helminthosporium* stem
 rot, 1st rept. on this host (Calif.),
 207
 Calcium nitrate, 226
 --- sulfamate, 212
 California, 68, 95, 205, 206, 211, 214 ff.,
 221 ff.
Callistemon rigidus: *Cylindrocladium*
scoparium, 1st rept. on this host
 (Alabama), 207
Camellia spp., flower blight, 218
 Canada, 213, 220, 227
 Cane gall, of blackberry, 218
 Canker, of *Populus tremuloides*, 220
 Canker and fruit rot, of apple, 216
Canna generalis: mosaic virus, trans-
 mitted to other plants by means of
 juice and aphids, 218
 Captan, 215, 216, 217
Carthamus tinctorius: rust, 222
Carya illinoensis: scab, 218
Castilleja austromontana: ponderosa
 pine rust, 218
 Cauliflower: club root, 224; downy mil-
 dew, 224
Cenangium singulare, 208
Cephalosporium gramineum, 205, 211
Ceratocystis fimbriata, 89
Cercospora pastinacina, 228
Cercospora pastinacae, 228
 Cereal crop plants: yellow strain of
 wheat mosaic virus, 210
 Cereal seed treatment trials, in Michi-
 gan, 210
 Cereals: yellow dwarf virus, 210
 Ceresan M, 214
Chaetocnema pulicaria, 213
 Check list of North American rust
 fungi (Uredinales). Suppl. 240,
 pp. 109-193
 Cherry: leaf spot, 217; necrotic ring
 spot virus, 217; powdery mildew,
 217
 ---, sour: *Pratylenchus penetrans*, 214
 ---, sweet: *Microstroma tonellianum*,
 1st rept. on cherry and first rept.
 in North America (Mass.), 277
 Chloropicrin, 94
 Chokecherry: X-disease virus, 218
Chrysanthemum: aspermy (virus), 219;
 development and production of virus-
 free propagative material, 63; flower-
 distortion virus, 219; mosaics (virus),
 219; propagating material free from
 certain pathogens, 59; rust, 219
Chrysomyxa ledi var. *rhododendri*, 207
Citrus spp.: brown rot, 215; wax emul-
 sion, 101A, 215; xyloporosis-ca-
 chexia relations in Florida, 215
 --- limon: bud union abnormality (?virus)
 in Florida, 215; tristeza (virus) in
 Arizona, 215
Cladosporium cucumerinum, 224
 --- effusum, 218
 Club root, of broccoli, 224; Brussels
 sprouts, 224; cauliflower, 224
Coccomyces hiemalis, 217
 Cold pox, of cucumber, 225
Coleosporium laciniariae, 204
Colladonus geminatus, 218
 Collembola, 221
Colletotrichum spp., 224
 --- gossypii, 222
 --- hibisci, 222
 --- lagenarium, 225
 --- phomoides, 227
 --- trifolii, 214
 Colorado, 75, 208, 210, 211, 217, 220
 Connecticut, 219, 220, 222, 228, 229
 Corn: bacterial wilt, 212; *Curvularia*
maculans, new disease of corn found
 in North Carolina and Georgia, 205;
Fusarium moniliforme, 212; mold,
 212; nematodes, 212; seedling resis-
 tance to *Pythium* spp., 212; stalk rot,
 212
 ---, sweet: bacterial wilt, 213; *Helmin-*
thosporium blight diseases, 212
Corynebacterium michiganense, 227
 --- sepedonicum, 228
 Covered kernel smut, of sorghum, 211
 Covered smut, of barley, 210
 Crazy top, of *Eleusine indica*, 206; *Era-*
grostis cilianensis and *E. pectinacea*,
 206
Criconeoides sp., 214, 215
Cronartium filamentosum, 218
 --- ribicola, 220
 Crown and root rot, of asparagus, 224
 Crown wart, of *Lotus uliginosus*, 206
 Cucurbits: angular leaf spot, 225; an-
 thracnose, 224; bacterial wilt, 225;
 cold pox, serious new disease of cu-
 cumber in Florida, 225; downy mil-
 dew, 225; *Fusarium* wilt, 225; gummy
 stem blight, 225; *Meloidogyne* spp.,

- (Cucurbits) 225; powdery mildew, 225; scab, 224; Verticillium wilt, 225; viruses, 226
- Curvularia spp., 211
 --- lunata, 81
 --- maculans, on corn, 205
- Cyamopsis tetragonoloba: potato virus S, 214
- Cylindrocladium scoparium, 207, 222
- Cystospora canker, of Prunus spp., 217
- Dactylis glomerata: Pleospora phaeocomes, 1st rept. in U.S. (Pa.), 206; virus that infects oats, 210
- Dactylium dendroides, 221
- Damping-off, of pepper, 224
- DDD, 94
- DDT, 94
- Deficiency diseases: boron deficiency of apple and peach, 217; zinc deficiency of peach, 204
- Delaware, 216, 224, 228
- Demeton, 60
- Dendroctonus engelmanni, 220
- Development and production of pathogen-free propagative material of ornamental plants. Suppl. 238, pp. 56-95
- Dianthus spp.: development and production of virus-free carnation varieties, 77; yellows (virus), 79
 --- caryophyllus: bacterial wilt, 72; control of diseases through cultured-cutting technique, 72; Fusarium wilt, 72
- Dieffenbachia picta: bacterial leaf spot, 88; bacterial soft rot, 88; Phytophthora stem rot, 88
- Dieldrin, 88
- Diospyros spp.: Tylenchulus semipenetrans, 1st rept. on this host (California), 208
 --- lotus: Elsinoë diospyri, 1st rept. on this host (Florida) and first U.S. record, 208
- Diplocarpon rosae, 91
- Diseases, of cereal crops, 210; forage and cover crops, 213; nut crops, 218; ornamental and miscellaneous plants, 218; special crops, 221; vegetable crops, 224
- Dithane Z-78, 219
- Dithane-zinc-copper formulation, 213
- Dowicide A, 215
- Downy mildew, of barley, 203; cauliflower, 224; cucurbits, 225; lima bean, 228; oats, 203; wheat, 203
- Dryland root rot, of wheat, 211
- Dwarf bunt, of Agropyron inerme, A. trachycaulum, A. trichophorum, Bromus marginatus, 205
- Dwarf bunt, of Agropyron trachycaulum, 213; Lolium multiflorum and L. perenne, 205; wheat, 212
- Dwarf mistletoe, on Pinus contorta, 208
- Early blight, of potato, 228
- Eggplant: Verticillium wilt, 1st rept. from Florida, 204
- Eleusine indica: crazy top, 1st rept. on this host (Indiana), 206
- Elsinoë diospyri, 208
 --- magnoliae, 207
- Endoconidiophora coeruleascens, 220
 --- fagacearum, 220
- Eragrostis cilianensis: crazy top, 1st rept. on this host (Indiana), 206
 --- pectinacea: crazy top, 1st rept. on this host (Indiana), 206
- Eriobotrya japonica: high soil temperatures on side exposed to sun, 215
- Eriophyes, vector of peach mosaic virus, 217
- Erwinia amylovora, 216
 --- aroideae, 223
 --- atroseptica, 228
 --- carotovora, 88
 --- tracheiphila, 225
- Erysiphe cichoracearum, 225
 --- graminis tritici, 211
- Ethylene dibromide, 216
- Euphorbia pulcherrima: root rot, 219
- Europe, 217
- Fermate, 219
- Ficus carica: fig mosaic virus transmitted by Aceria ficus, 215; Phomopsis cinerascens, 1st rept. from Maryland, 204; Heterodera fici, 1st rept. in U.S. (Calif.), 206
- Fire blight, of apple, 216
- Fittonia verschaffeltii var. argyroneura: Rhizoctonia solani, 89
- Flax: Fusarium wilt, 211; seed rot, 210
- Florida, 88, 204, 208, 212, 215, 222, 224, 225, 227, 228
- Flower blight, of azalea, 219; of Camellia spp., 218
- Foliage burn, of grape, 218
- Foot rot, of tomato, 227
- Forage crop plants: yellow strain of wheat mosaic virus, 210
- Forage legume diseases, in Iowa, 214
- Fragaria vesca: viruses, 216
- Fruit rot, of tomato, 227
- Fusarium spp., 211, 221
 --- bulbigenum var. lycopersici, 227
 --- moniliforme, 206, 212
 --- oxysporum, 225
 --- --- f. conglutinans, 224
 --- --- f. dianthi, 72
 --- --- f. gladioli, 81
 --- --- f. lini, 211
- Fusicoccum amygdali, 217
- Ganoderma zonatum, 220
- Georgia, 205, 206, 210, 216, 222, 227

- Ghost spot, of tomato, 227
- Gibberella zeae, 212
- Gladiolus: development and production of pathogen-free cormels, 81; Meloidogyne spp., 219; nematodes, 81; virus diseases, not eliminated by heat treatment, 81
- Gleditsia triacanthos: cankers and rot, 1st rept. on this host (Mississippi and Tennessee), 208
- Glomerella cingulata, 224
--- tucumanensis, 223
- Gomphrena globosa: mosaic (virus), 226
- Gossypium spp.: anthracnose, 222; bacterial blight, 222; bacteriophage of Xanthomonas malvacearum, in Texas and New Mexico, 209; losses from diseases, 222; stem intumescences due to abnormal stem metabolism, 222; temperature tank battery for seedling disease investigations, 222; Verticillium wilt, 222
- Gramineae: leaf spot fungi, 205; Puccinia spp., 210; yellow strain of wheat mosaic virus, 210
- Grape: foliage burn, 218; white-Emperor virus disease, 218
- Graphium ulmi, 221
- Gray leaf spot, of tomato, 226, 227
- Gray mold, of strawberry, 215; tomato, 227
- Gummy stem blight, of cucurbits, 225
- Haworthia attenuata: Pythium ultimum, 90
- Helicotylenchus nannus, 215
- Helminthosporium cactivorum, 207
--- gramineum, 210
--- maydis, 212
--- sativum, 211
--- sesami, 209
--- turcicum, 212
- Hendersonula toruloidea, 218
- Heterodera fici, 206
--- rostochiensis, 228
--- schachtii, on sugar beet, 204
--- --- var. trifolii, 214
- Heterosporium tropaeoli, 70
- Hexamine, 215
- Hibiscus cannabinus: anthracnose, 222
- Host index and morphological characterization of the grass rusts of the world. Suppl. 237, pp. 1-52
- Hydrangea sp.: Cylindrocladium scoparium, 1st rept. on this host (Ala.), 207
- Hypoxylon pruinatum, 220
- Idaho, 205, 217, 220, 228
- Ilex rotundifolia: Cylindrocladium scoparium, 1st rept. on this host (Alabama), 207
- Illinois, 210, 211, 214, 219, 224
- Indiana, 206, 225
- Iowa, 212, 213, 214
- Juglans regia: bacterial blight, 218; branch wilt, 218
- Kansas, 211, 212, 213
- Karathane, 211
- Kentucky, 214, 216, 225
- Kernel smut, of Andropogon gerardi, 213
- Late blight, of potato and tomato see Phytophthora infestans
- Leaf scab, of Magnolia grandiflora, 207
- Leaf spot, of barley, 203; cherry, 217; parsnip, 228
- Leaf spot fungi, of Gramineae, 205
- Lemon: tristeza virus, 1st rept. from Texas, 203
- Leptographium engelmanni, 220
- Lettuce: anthracnose, 226; big-vein (virus), 226; brown stele (undet.), 226; mosaic (virus), 226; pink rib (cause unknown), 226
- Liquidambar styraciflua: blight (cause unknown), 219
- Liriodendron tulipifera: Verticillium wilt, 219
- Lolium multiflorum: dwarf bunt, 1st rept. on this host (New York), 205
--- perenne: dwarf bunt, 1st rept. on this host (New York), 205
- Loose smut, of barley, 210
- Losses, from bacterial blight of cotton, 222; from plant diseases in Tennessee, 221
- Lotus uliginosus: crown wart, 1st rept. in this country (Oregon), 206
- Louisiana, 209, 215, 224, 226
- Macrosiphum granarium, 210
- Magnolia grandiflora: Elsinoë magnoliae, a new species causing leaf scab, southern United States, 207
--- soulangeana: Cylindrocladium scoparium, 1st rept. on this host (Alabama), 207
- Maine, 227, 228, 229
- Malathion, 88, 94
- Maneb, 227
- Maps: Weather 1955, precipitation and temperature, 199-202
- Marmor virgatum var. typicum, 210
- Marssonina panattoniana, 226
- Maryland, 63, 204, 211 ff., 219, 222, 223
- Massachusetts, 207, 212, 216, 222
- Matthiola incana: Xanthomonas incanae, 68
- Meloidogyne spp., 217, 219, 223, 225

- (Meloidogyne) arenaria, 214
 --- hapla, 216, 224
 --- incognita var. acrita, 209, 225, 227
 --- javanica, 227
 Mercurine, 210
 Merlane, 210
 Mesulfane, 215
 Methyl bromide, 94
 Michigan, 204, 222, 228
 Microstroma tonellianum, 207
 Mildew, of *Agaricus campestris*, 221
 Minnesota, 211
 Mississippi, 203, 208, 218, 221, 224
 Missouri, 214, 216, 217, 220, 221
 Mold, of corn, 212
 Monilochaetes infuscans, 226
 Montana, 211, 212
 Mycogone perniciososa, 221
 Mycosphaerella ligulicola, 60
 --- melonis, 225
 Myzus persicae, 218, 229
- Nailhead spot, of tomato, 226
 Nebraska, 206, 213, 222
 Necrotic injury, of *Persea americana*, 217
 Nemagon, 216, 217
 Nematodes, on gladiolus, 81; in Louisiana soils, 209
 Nerium oleander: *Sphaceloma oleanderi*, 1st rept. from Florida, 204
 Net blotch, of barley, 211
 Net necrosis, of potato, 228
 New gall disease, of *Vaccinium corymbosum* in Mass., 207
 New genus: *Xanthomonas* sp. on *Sesamum indicum*, 223
 New Hampshire, 213, 216, 217
 New Jersey, 212, 217, 218, 226, 228
 New Mexico, 209, 211, 217, 224
 New York, 59, 205, 211, 213, 214, 216, 217, 218, 224, 225, 227, 228, 229
 Nodal cankers, of peach, 217
 Norsulfane, 215
 North Carolina, 205, 212, 217, 219, 222, 225
 North Dakota, 223
- Oats: crown rust, 210; downy mildew, 1st rept. from Virginia, 203; loose smut, 210; microflora associated with, in storage, 210; mosaic virus, 210; smuts, 210; virus from orchard grass, 210
 Ohio, 63, 213, 228
 Oligomycin, 212
 Ophiostoma bicolor, 220
 --- truncicola, 220
 Oregon, 204, 205, 206, 211, 212, 214, 218, 219
- Ornamental plants, development and production of pathogen-free propagative material of, 56
- Ovulinia azaleae, 219
- Pacific Northwest, 213
 Panogen, 210
 Parathion, 60
 Paratylenchus sp., 214
 Parsnip: leaf spot, 228
 Parzate, 219
 PCNB, 229
 Peach: bacterial spot, 217; boron deficiency, 217; nodal cankers, 217; *Pratylenchus penetrans*, 214; root knot nematode, 217; zinc deficiency, 1st rept. from Michigan, 204
 Pelargonium hortorum: bacterial stem rot, 93; cutting rots, 93; production of pathogen-free propagative material, 93; *Verticillium wilt*, 93; virus diseases, 93
 Pellionia pulchra: *Rhizoctonia solani*, 89
 Penicillium martensii, 223
 Pennisetum glaucum: top rot, 1st rept. on this host in U.S. (Georgia), 206
 Pennsylvania, 204, 206, 213, 214, 221, 222, 228, 229
 Pentachloronitrobenzene, 224
 Pepper: bacterial spot, 224; damping-off, 224; potato virus Y, 229
 Peronospora parasitica, 224
 --- tabacina, 222
 Persea americana: necrotic injury (physiological disorder), 217; *Phytophthora* root rot, 217
 Phlyctochytrium, 223
 Phomopsis cinerascens, 204
 Physalospora sp., 213
 --- obtusa, 216
 Physiologic races of *Puccinia graminis* in the United States in 1955. Suppl. 239, pp. 99-105
 Physoderma potteri, 206
 Phytophthora capsici, 227
 --- infestans, 227, 228
 --- palmivora, 88
 --- parasitica, 215
 --- --- var. nicotianae, 223
 --- phaseoli, 228
 --- root rot, of *Persea americana*, 217
 Picea engelmannii: fungi associated with *Dendroctonus engelmanni*, 220
 Pink rib, of lettuce, 226
 Pinus spp.: diseases in forest nurseries in Georgia, 220
 --- contorta: *Arceuthobium americanum*, 220; *A. vaginatum* f. *cryptopodium*, 1st rept. on this host (Colorado), 220; dwarf mistletoe, 1st rept. on this host (Colorado), 208
 --- monticola: pole blight (cause unknown), 220
 --- ponderosa var. *scopolorum*: *Arceutho-*

- (*Pinus*) *bium americanum*, 220
 --- strobilus: rust, stain technique for detecting, 220
 --- taeda: needle rust, 1st rept. from Virginia, 204
Piricularia oryzae, 211
 Plant diseases, estimated loss in Tennessee, 214; in New Mexico, 224; losses in Tennessee, 209
 Plants, foliage and succulent: development and production of pathogen-free propagative material of, 88
Plasmodiophora brassicae, 224
Pleospora phaeocomes, 206
Poa pratensis: rust, 213
Podosphaera leucotricha, 217
 --- *oxyacanthae*, 217
 --- *tridactyla*, 207
Poinsettia pulcherrima: *Cylindrocladium scoparium*, 1st rept. on this host (Alabama), 207
 Pole blight, of *Pinus monticola*, 220
Polygonum punctatum: smut, 204
Polymyxa graminis, 214
Polyporus hispidus, 221
Populus nigra var. *italica*: yellow leaf blister, 1st rept. from Virginia, 204
 --- *tremuloides*: canker, 220; sooty-bark canker, described for first time, in Colorado, 208
Poria laevigata, 219
 --- *obliqua*, 219
 --- *spiculosa*, 208
 Potato: blackleg, early blight, golden nematode, 228; late blight, 227, 228; leafroll (virus), 229; net necrosis, 228; ring rot, 228; scab, 229; speck rot, 1st rept. from Virginia, 205; *Verticillium albo-atrum*, 229; virus A, 228
 Powdery mildew of almond, 207; apple and cherry, 217; cucurbits, 225; wheat, 211
Pratylenchus, 213, in Louisiana soils, 209
 --- *penetrans*, 214, 215, 216
 --- *zeae*, 212
Prosopis juliflora: *Ganoderma zonatum*, 220
Prunus spp.: bacterial spot, 217; *Cytospora* canker, 217
 --- *serrulata*: little cherry (virus), 219
Pseudomonas sp., 223
 --- *caryophylli*, 72
 --- *lachrymans*, 225
 --- *marginata*, 81
 --- *solanacearum*, 223
 --- *tabaci*, 223
 --- *tolaasi*, 221
Pseudoperonospora cubensis, 225
Pseudopityophthorus spp., 220
 --- *minutissimus*, 221
Puccinia andropogonis, 213
 --- *asparagi*, 224
 --- *carthami*, 222
 --- *chrysanthemi*, 60, 219
 --- *coronata* var. *avenae*, 210
 --- *graminis*, 213; physiologic races of, in the U.S., 99
 --- --- *avenae*, 102
 --- --- *tritici*, 99, 210, 211
 --- *rubigo-vera* var. *tritici*, 211
 Puerto Rico, 88
Pyracantha sp.: *Cylindrocladium scoparium*, new host (Ala.), 207
Pyrenophora teres, 211
Pythium spp., 93, 212, 219
 --- *aphanidermatum*, 223
 --- *ultimum*, 90, 221
Quercus spp.: oak wilt, 220; *Polyporus hispidus*, 221
 Races, of leaf rust of wheat, 212
Radopholus similis, 215
Ramularia pastinaceae, 228
 Raspberry: ring spot virus, 218
 Red rot, of sugarcane, 223
Rhizobium spp., 214
 --- *japonicum*, 214
 --- *meliloti*, 214
Rhizoctonia solani, 81, 89, 93, 211, 219, 224, 227
Rhizopus oryzae, on sorghum, 211
Rhododendron spp. (*azalea*): flower blight, 219; *Chrysomyxa ledi* var. *rhodendri*, 1st rept. in U.S. (Washington), 207
 --- *indica*: *Cylindrocladium scoparium*, 1st rept. on this host (Alabama), 207
 --- *obtusa japonicum*: *Cylindrocladium scoparium*, 1st rept. on this host (Alabama), 207
Rhopalosiphum fitchii, 210
 Rice: blast, 211; *Tylenchorhynchus martini*, 211
 Ring rot, of potato, 228; *Euphorbia pulcherrima*, 219
Rosa spp.: culture-indexing of budwood to provide *Verticillium*-free greenhouse roses, 85; development of propagative material free from black spot, 91
 Rust fungi, a check list of North American, 109
 Rusts, see also under host and genera
 Rusts, grass, of the world, host index and morphological characterization of the, 1-52
Saccharum officinarum: *Meloidogyne incognita* var. *acrita*, 1st rept. on this host (Louisiana), 209

- Scab, of *Carya illinoensis*, 218; cucurbits, 224; potato, 229
- Scarskin, of apple, 217
- Sclerophthora macrospora, see Sclerosporea
- Sclerosporea macrospora, 203, 206
- Sclerotinia camelliae, 218
- trifoliorum, 214
- Sclerotium rolfsii, 227
- Scurf, of sweetpotato, 226; sugar beet, 222
- Seed treatment, of beans and peas in Michigan, 228; potatoes, 228
- --- materials, for control of oat loose smut and wheat bunt, 210; results of studies, 210
- Septoria chrysanthemella, 59
- gladioli, 81
- obesa, 59
- Sesamum indicum: aerial stem rot, 1st rept. in this country (Texas), 209; bacterial leaf spot, 223; Xanthomonas sp., hitherto unreported genus on this host, 223
- Sodium pentaborate, 217
- selenate, 59
- sulfanilate, 212
- Some new and important plant disease occurrences and developments in the United States in 1955. Suppl. 241, pp. 196-229
- Sooty-bark canker, of *Populus tremuloides*, 208
- Sorghum: Colletotrichum stalk rot, 211; covered kernel smut, 211; Fusarium stalk rot, 211; Rhizopus oryzae, 211
- South Carolina, 210, 217, 222, 223, 225
- South Dakota, 210
- Southern blight, of tomato, 227
- Soybean: bud blight (tomato- and tobacco ringspot viruses), 1st record of these viruses as agents of bud blight of soybean, 214; Heterodera schachtii var. trifolii, 214; Meloidogyne arenaria, 214; nematodes 212
- Speck rot, of potato, 205
- Spergon, 214
- Spergon SL, 224
- Sphaceloma oleanderi, 204
- Sphacelotheca occidentalis, 213
- sorghi, 211
- Stalk rot, of corn, 212
- Stalk rots, of sorghum, 211
- Stem rot, aerial, of *Sesamum indicum*, 209
- Stemphylium solani, 226, 227
- Stenotaphrum secundatum: Physalospora, 213
- Stewart's wilt, see bacterial wilt
- Strawberry (see also *Fragaria*): black root rot, 216; gray mold, 215; hot water treatment, 215; nematodes in commercial areas, 215; plant propagation center in Oregon, 215; Pratylenchus penetrans assoc. with black root rot, 216; ring spot virus, transmitted by grafting from raspberry, 218; Verticillium wilt, 216
- Streptomyces scabies, 229
- Streptomycin, 224, 225, 228; in apple and pear tissues, 216
- sulfate, 224
- Streptomycin-Terramycin sprays, 228
- Stripe, of barley, 210; wheat, 205, 211
- Stromatinia gladioli, 81
- Stysanus stemonites, 205
- Sugarcane: red rot, 223
- Sulfur, 211
- Sweetpotato: internal cork (virus), 226; scurf, 226
- Syngonium auritum: black cane rot (*Ceratocystis fimbriata*), 89
- podophyllum var. Emerald Gem: root rot (water fungi), 90
- Systox, 60
- Tagetes erecta: mosaic (virus), 226
- Taphrina populina, 204
- Tennessee, 208, 210, 221
- Terrachlor, 216
- Texas, 203, 209, 220, 221, 223
- *Thielaviopsis basicola, 219
- Thioneb, 215
- Tilletia sp., 210
- caries, 212
- controversa, 205, 212, 213
- foetida, 210, 212
- Tobacco: bacterial wilt, 223; black shank, 223; blue mold, 222; nematodes, 212, 222; virus diseases, 223; weather fleck, 223; wildfire, 223
- Tomato: anthracnose, 227; bacterial spot, 227, 228; bacterial canker, 227; blossom-end rot, 227; foot rot, 227; fruit rot, 227; Fusarium wilt, 227; ghost spot, 227; gray leaf spot, 226, 227; gray mold, 227; late blight, 227; Meloidogyne incognita acrita, 227; nailhead spot, 226; potato virus Y, 228; southern blight, 227; tobacco mosaic (virus), 229
- Top rot, of Pennisetum glaucum, 206
- Trichodorus sp., 212
- primitivus, 208
- Trifolium spp.: isolation of pathogens, improved method, 214
- pratense: Polymyxa graminis, 214; yellow bean mosaic (virus), 214
- --- var. Ladino: Sclerotinia trifoliorum, 214
- Tropaeolum majus: Heterosporium tropaeolum majus: Heterosporium tro-

- paeoli, 70
 Tylenchorhynchus sp., 212, 213
 --- claytoni, 212, 223
 --- martini, 211
 Tylenchulus semipenetrans, 215
- Ulmus spp.: Dutch elm disease distribution in North America, 221
- Ustilago avenae, 210
 --- hordei, 210
 --- kolleri, 210
 --- nuda, 211
 --- utriculosa, 204
- Vaccinium corymbosum: new gall disease (undet.), in Mass., 207
- Vapam, 216, 229
- Verticillium sp., 221
 --- albo-atrum, 60, 85, 93, 204, 216, 219, 222, 225, 229; previously unrecorded hosts of, in California, 205
- Virus diseases: of cucurbits, 226; gladiolus, 81; Pelargonium hortorum, 93
 --- --- aspermy of chrysanthemum, 219
 --- --- aster yellows of chrysanthemum, 66
 --- --- barley stripe mosaic, 211
 --- --- big-vein of lettuce, 226
 --- --- bud blight of soybean, 214
 --- --- cereal yellow dwarf virus, 210
 --- --- chrysanthemum rosette, 65
 --- --- chrysanthemum stunt, 63
 --- --- dapple apple (? virus) of apple, 217
 --- --- flower distortion of chrysanthemum, 67, 219
 --- --- internal cork of sweetpotato, 226
 --- --- leafroll of potato, 229
 --- --- little cherry, of Prunus serrulata, 219
 --- --- (mosaics) canna-mosaic of canna, corn, and bean, 218; chrysanthemum mosaic, 65; cucumber mosaic of cucumber, 226; mosaic of Bromus inermis, 213, chrysanthemum, 219, Dianthus spp., 77, Gomphrena globosa, 226, lettuce, 226, oats, 210, Tagetes erecta, 226, tomato, 229, Zinnia elegans, 226; mosaic virus transmitted by Aceria ficus, 215; streak mosaic of wheat, 212; yellow bean mosaic of red clover, 214; yellow mosaic of bean, 228; yellow strain of wheat mosaic virus of cereal and forage crop plants and grasses, 210; yellow streak mosaic of wheat, 212
 --- --- potato virus Y of tomato and pepper, 228
 --- --- (necrotic) ring spot of cherry, 217; (tobacco) ring spot of cucumber, 226;
- ring spot of raspberry 218, strawberry 218, tobacco 223
 --- --- streak of Dianthus spp., 78
 --- --- stunt of blueberry, 218
 --- --- tomato aspermy, 66
 --- --- tomato spotted wilt, 67
 --- --- tristeza virus of lemon, 203, in Arizona, 215
 --- --- virus A of potato, 228
 --- --- viruses of Fragaria vesca, 216
 --- --- white-Emperor virus of grape, 218
 --- --- X-disease of chokecherry, 218
 --- --- yellows of Dianthus spp., 79, of sugar beet, 222
- Virginia, 203, 205, 222, 229
- Washington, 205, 207, 211, 219, 225
- Weather 1955: precipitation 197; snowfall 198; storms 198; summary 196; temperature 198
 --- injuries: freezing of small grains in Ark. 210; weather fleck of tobacco 223
- West Virginia, 219, 220, 221, 224
- Wheat: Aspergillus mold, 211; bunt, 210, 212; downy mildew, 1st rept. from Mississippi, 203; dryland root rot 211; dwarf bunt, 212; leaf rust, 211; powdery mildew, 211; smuts, 210; stem rust, 211; streak mosaic virus, 212; stripe (Cephalosporium gramineum), 211; 1st rept. in U.S. (Washington), 205, toxicity of various chemicals to seed, 211; yellow streak mosaic virus, 212
- Wildfire, of tobacco, 223
- Wisconsin, 211, 226, 229
- Woody hosts: Verticillium albo-atrum in Illinois, 219
- Xanthomonas sp., 223
 --- campestris, 224
 --- dieffenbachiae, 88
 --- incanae, 68
 --- juglandis, 218
 --- malvacearum, 209, 222
 --- pelargonii, 93
 --- phaseoli, 228
 --- pruni, 217
 --- translucens var. undulosa, 206
 --- vesicatoria, 224, 227, 228
- Xiphinema, 213, 214, 215
- Xyleborus spp., 220
- Xyleterinus politus, 220
- Yellow leaf blister, of Populus nigra var. italica, 204
- Yellows, of cabbage, 224
- Zineb, 216, 227
- Zinnia elegans: Alternaria zinniae, 69; mosaic (virus), 226

ERRATA

On page 88, under 1. Dieffenbachia picta Schott, 2nd paragraph, 4th line, read who maintains pathogen-free stock, instead of who maintains pathogen-stock.

On page 89, under 2. 3rd paragraph 7th line read removed to reduce invasion by Botrytis cinerea instead of removed to reduce to reduce invasion by Botrytis cinerea.

On page 205 read Agropyron inerme instead of Agropyron inerne.

On page 221, 10th line read Pseudopityophthorus minutissimus instead of Pseudopityophthorus minutissimus.

In Supplement 237. "Host Index and Morphological Characterization of the Grass Rusts of the World" one page of the data tabulations is out of place. Page 44 belongs at the end of Group V. The following corrections should be made:

1. Annotate the bottom of page 41 as follows: "(see page 44 for the remainder of group V)."
2. Bottom of page 43 add: "Group VI continued on page 45."
3. Top of page 44 add: "Group V, continued."
4. Top of page 45 add: "Group VI, continued."

CROPS RESEARCH DIVISION, AGRICULTURAL RESEARCH SERVICE, UNITED STATES
DEPARTMENT OF AGRICULTURE